

deutz d2011l04 specifications Latest Edition

deutz d2011l04 specifications

The Deutz D2011L04 engine is a prominent example of the company's commitment to producing reliable, efficient, and high-performance industrial and agricultural engine solutions. Known for its robustness and versatility, the D2011L04 model is widely used across various applications, including construction equipment, generators, and agricultural machinery. Understanding the detailed specifications of this engine is essential for engineers, technicians, and operators who seek to optimize its performance, perform maintenance, or select it for specific tasks. This article provides an in-depth review of the Deutz D2011L04 specifications, covering its technical parameters, design features, and operational capabilities.

Overview of the Deutz D2011L04 Engine

The Deutz D2011L04 is a four-cylinder, water-cooled diesel engine designed for high efficiency and durability. It belongs to the D2011 series, which emphasizes compact design, ease of maintenance, and compliance with emission standards. The engine's architecture combines advanced engineering with proven components, making it suitable for demanding industrial environments.

Engine Type and Configuration

Type

- Diesel engine
- Four-cylinder, inline configuration

Design Features

- Water-cooled system for temperature regulation
- Turbocharged with intercooling options available
- Common rail direct fuel injection (depending on model variations)
- Robust construction with high-grade materials

Performance Specifications

Power Output

The power output of the D2011L04 varies depending on the specific model and application, but typical values include:

- Gross power: approximately 55 to 75 horsepower (HP)
- Net power: slightly lower, around 50 to 70 HP, after accounting for auxiliary losses

Engine Displacement and Bore/Stroke

- Displacement: approximately 2.2 liters (2200 cc)
- Bore diameter: around 85 mm
- Stroke length: approximately 105 mm

Rated Speed

- Maximum rated engine speed: typically 2200 to 2400 rpm
- Optimal operating speed: around 2000 rpm for efficient performance

Fuel System and Consumption

Fuel Injection System

Depending on the specific model, the D2011L04 may feature:

- Common rail direct injection
- Mechanical fuel injection pump

Fuel Consumption

Estimated values under standard conditions:

- Approximately 200 to 250 grams per kWh
- Operational consumption varies based on load, application, and ambient conditions

Lubrication and Cooling Systems

Lubrication

- Oil capacity: approximately 4.5 liters
- Type: multigrade diesel engine oil, API CF or higher
- Oil filter: spin-on or cartridge type for easy maintenance

Cooling System

- Type: water-cooled with a radiator
- Cooling capacity: sufficient for maintaining optimal operating temperature at rated load
- Additional features: thermostatic control, coolant pump, and temperature sensors

Emissions and Compliance

The D2011L04 engine is designed to meet various emission standards, which may vary depending on regional regulations:

- EU Stage IIIA/B (Euro 3/Euro 4) compliance in recent models
- EPA Tier 3/ Tier 4 Interim standards in North America
- Incorporates turbocharging and after-treatment systems where applicable

Physical Dimensions and Weight

Dimensions

The engine's physical size is optimized for compact installation:

- Length: approximately 950 mm
- Width: around 650 mm
- Height: approximately 800 mm

Weight

- Dry weight: roughly 400 to 450 kg, depending on configuration and accessories

Mounting and Compatibility

Mounting Points

The engine features standardized mounting points for easy integration into various machinery:

- Four-point engine mounting system
- Compatibility with common coupling and transmission interfaces

Electrical System

- Voltage: 12V or 24V electrical systems available
- Starting system: electric starter motor with automatic choke in some variants

Operational Capabilities and Applications

The Deutz D2011L04 engine is versatile and suitable for:

- Construction machinery such as compact loaders, excavators, and bulldozers
- Generators for stationary power supply
- Agricultural equipment including tillers, irrigation pumps, and small harvesters
- Industrial applications requiring reliable prime or standby power

Maintenance and Service Intervals

Proper maintenance is crucial to ensure the longevity and optimal performance of the D2011L04:

- Oil change interval: approximately 250 hours or as specified by manufacturer
- Fuel filter replacement: every 500 hours or annually
- Air filter inspection and cleaning: every 250 hours
- Cooling system check: periodically for coolant level and condition

Conclusion

The Deutz D2011L04 engine exemplifies a balanced combination of power, efficiency, and durability. Its well-engineered specifications make it suitable for a broad range of industrial and agricultural applications. The engine's design emphasizes ease of maintenance, compliance with emission standards, and adaptability to various operational environments. Whether used in construction machinery, power generators, or agricultural equipment, the D2011L04 stands out as a reliable and efficient power source. For operators and technicians, understanding its detailed specifications is vital for optimizing performance, planning maintenance schedules, and ensuring the

longevity of the equipment it powers.

Deutz D2011L04 Specifications: An In-Depth Analysis

Introduction

The Deutz D2011L04 engine stands as a testament to Deutz's reputation for producing reliable, efficient, and high-performance diesel engines. Widely used in industrial, agricultural, and construction applications, this engine combines advanced engineering with durability, making it a preferred choice for various demanding tasks. In this comprehensive review, we will explore every facet of the Deutz D2011L04, from its technical specifications and design features to its performance capabilities and maintenance considerations.

Overview of the Deutz D2011L04 Engine

The Deutz D2011L04 is a four-cylinder, four-stroke diesel engine renowned for its robustness and efficiency. It belongs to the D2011 series, which is designed to meet modern emission standards while providing optimal power output and fuel economy. This engine is often utilized in generators, industrial machinery, and agricultural equipment.

Technical Specifications

Understanding the detailed specifications of the Deutz D2011L04 provides insight into its performance and suitability for various applications.

- Engine Type and Configuration

- Model Name: Deutz D2011L04
- Engine Type: Four-cylinder, inline, four-stroke diesel engine
- Cylinder Arrangement: Inline
- Number of Cylinders: 4
- Valve Configuration: Overhead Valve (OHV) with gear-driven camshaft
- Cooling System: Water-cooled (liquid-cooled)

- Displacement and Bore/Stroke

- Total Displacement: 2.2 liters (approximate, depending on the exact model variant)

- Bore x Stroke: Typically around 82 mm x 94 mm
- Compression Ratio: 18:1 (varies slightly with specific versions)

- Power and Performance

- Rated Power Output: Ranges from approximately 36 kW to 44 kW (48-59 horsepower) at 2200-2400 rpm

- Maximum Torque: Between 180 and 210 Nm at rated RPM
 - Fuel Consumption: Approximately 210-230 g/kWh under standard operating conditions

- Fuel System and Injection

- Fuel Injection Type: Direct injection
 - Fuel System Components: Common rail system (varies with specific models)
 - Fuel Type: Diesel

- Lubrication System

- Oil Capacity: Around 8 liters
 - Lubrication Type: Forced lubrication with oil filter
 - Oil Pressure: Typically around 2.5 bar at idle, up to 4-5 bar at rated RPM

- Cooling System

- Cooling Method: Water-cooled with thermostat-controlled circulation
 - Radiator: Designed to maintain optimal operating temperature
 - Coolant Capacity: Approximately 8 liters

- Starting System

- Starting Method: Electric starter motor

- Battery Requirements: 12V or 24V systems, depending on application

Mechanical Design and Build Quality

- Materials and Construction

Deutz is known for its high-quality materials and precise manufacturing processes. The D2011L04 features:

- Heavy-duty cast iron cylinder block for durability and heat dissipation
- Aluminum alloy cylinder head for reduced weight and efficient heat transfer
- Robust pistons and connecting rods designed for high stress endurance

- Wear-resistant Components

The engine employs hardened valve seats, high-quality piston rings, and a reinforced crankshaft, ensuring longevity under continuous operation.

Performance Characteristics

- Power Delivery

The Deutz D2011L04 offers a smooth power curve with reliable torque delivery across its RPM range. Its design ensures consistent performance, making it suitable for continuous operation in generator sets or industrial machinery.

- Fuel Efficiency

Thanks to its direct injection system and optimized combustion chamber design, the engine provides impressive fuel economy, reducing operational costs over time.

- Emissions and Compliance

The engine complies with various emission standards, including Tier 3/Stage IIIA depending on the specific model and configuration. It incorporates features such as turbocharging and intercooling to

optimize emissions and performance.

Turbocharging and Intercooling

Many versions of the D2011L04 come equipped with a turbocharger:

- Turbocharger Type: Wastegate or variable geometry, depending on model
- Benefits: Increased air intake leads to higher power output and improved fuel efficiency
- Intercooler: Often included to cool the compressed air, enhancing combustion efficiency

Control Systems and Monitoring

Modern Deutz engines, including variants of the D2011L04, feature integrated electronic control units (ECUs):

- Monitoring Parameters: RPM, oil pressure, coolant temperature, fuel consumption, and fault codes
- Instrumentation: Compatible with digital dashboards for real-time diagnostics
- Protection Features: Overload protection, low oil pressure shutdown, high coolant temperature shutdown

Applications and Usage Scenarios

The versatility of the Deutz D2011L04 allows it to be used across multiple sectors:

- Generator Sets: Reliable power source in standby and prime power applications
- Agricultural Machinery: Tractors, harvesters, and other farm equipment
- Construction Equipment: Compressors, pumps, and excavation machinery
- Industrial Applications: Compressors, pumps, and material handling equipment

Maintenance and Service Considerations

Proper maintenance ensures longevity and optimal performance of the Deutz D2011L04.

- Scheduled Maintenance Tasks

- Oil and Filter Change: Every 250-300 hours of operation
 - Air Filter Replacement: As needed, typically every 500 hours or when dirty
 - Fuel Filter Replacement: Every 500 hours to prevent clogging
 - Coolant Check and Replacement: Monitor coolant levels regularly; replace every 2 years or per manufacturer guidelines
 - Valve Adjustment: As recommended, usually every 1500 hours
- Common Repairs and Troubleshooting
- Starting Difficulties: Check battery, glow plugs, or fuel system
 - Overheating: Inspect radiator, coolant levels, and water pump
 - Oil Leaks: Examine gasket seals and replace if damaged
 - Reduced Power Output: Monitor for clogged filters or worn injectors
- Availability of Spare Parts

Deutz has an extensive network for spare parts, ensuring that replacements such as pistons, rings, filters, and gaskets are readily available.

Environmental and Regulatory Standards

Deutz continuously updates its engines to meet evolving emission standards:

- Stage IIIA / Tier 3 Compliance: For engines like the D2011L04, ensuring reduced NOx and particulate emissions
- Future Regulations: The engine's design allows for upgrades or modifications to meet stricter standards, including SCR systems and EGR technology

Summary of Key Specifications

Parameter Details	
----- -----	
Engine Type	Four-cylinder, inline, 4-stroke diesel
Displacement	~2.2 liters

- | Bore x Stroke | ~82 mm x 94 mm |
- | Power Output | 36-44 kW (48-59 HP) |
- | Max Torque | 180-210 Nm |
- | Cooling System | Water-cooled |
- | Fuel System | Direct injection, common rail |
- | Lubrication | Forced lubrication, 8L capacity |
- | Emission Standards | Tier 3 / Stage IIIA |

Final Thoughts

The Deutz D2011L04 engine exemplifies Deutz's commitment to high-quality engineering and reliable performance. Its well-balanced combination of power, efficiency, and durability makes it a top choice for industrial and agricultural operators seeking long-term operational stability. Whether used in standby power generation or heavy machinery, understanding its detailed specifications helps users optimize maintenance, maximize uptime, and ensure compliance with environmental standards.

In conclusion, the Deutz D2011L04 stands as a robust, efficient, and versatile engine capable of meeting the demanding needs of various industries. Proper understanding and adherence to its specifications will ensure it delivers optimal performance and longevity for years to come.

Question What are the key specifications of the Deutz D2011L04 engine? The Deutz D2011L04 engine features a 2-cylinder, 1.1-liter displacement, turbocharged, and after-cooled diesel engine with a power output ranging around 25-30 HP, depending on the application. It is designed for compact, reliable performance with a focus on fuel efficiency and durability. **What is the fuel consumption rate of the Deutz D2011L04 engine?** The Deutz D2011L04 typically consumes approximately 0.25-0.30 liters per horsepower per hour, but exact rates depend on the load conditions and application specifics. It is known for its efficient fuel use, making it suitable for long-term operations. **What are the cooling system specifications for the Deutz D2011L04?** This engine uses a liquid cooling system with a radiator designed for optimal heat dissipation. The cooling system capacity is sufficient to maintain operational temperatures under various loads, ensuring engine longevity and performance stability. **What are the typical dimensions and weight of the Deutz D2011L04 engine?** The engine measures approximately 950 mm in length, 600 mm in width, and 900 mm in height, with a weight around 320-350 kg. These dimensions facilitate easy integration into various machinery and equipment. **Is the Deutz D2011L04 engine compliant with**

modern emission standards? Yes, the Deutz D2011L04 engine is designed to meet current emission regulations, including Tier 4 Final standards, through advanced fuel injection and after-treatment systems, ensuring environmentally friendly operation.

Related keywords: Deutz D2011L04, engine specifications, diesel engine details, power output, torque, engine dimensions, fuel consumption, cooling system, compression ratio, emission standards